Supporting Information File 2

for

Efficient routes toward the synthesis of the D-rhamnotrisaccharide related to the A-band polysaccharide of Pseudomonas aeruginosa.

Aritra Chaudhury, Sajal K. Maity and Rina Ghosh*

Address: Department of Chemistry, Jadavpur University, Kolkata 700 032, India


Email: Rina Ghosh* - ghoshrina@yahoo.com


¹H and ¹³C NMR of compounds 2a, 4, 6, 8–13 and 2D NMR (COSY, HSQC and HMBC) of compound 10


Table of Contents


1H and ¹³ C NMR of compound 2a	S2
1H and ¹³ C NMR of compound 4	S 3
1H and ¹³ C NMR of compound 6	S4
1H and ¹³ C NMR of compound 8	S5
1H and ¹³ C NMR of compound 9	S 6
1H and ¹³ C NMR of compound 11	S7
1H and ¹³ C NMR of compound 12	S 8
1H and ¹³ C NMR of compound 13	S 9
1H and ¹³ C NMR of compound 10	S10
1H-1H COSY spectra of compound 10	S11-S12
HSQC spectra of compound 10	S13-S15
HMBC spectra of compound 10	S16–21


^{*}Corresponding author





























¹H-¹H COSY spectra of compound 10




¹H-¹H COSY spectra contd.




HSQC spectra of compound 10



HSQC spectra contd.



HSQC spectra contd.



HMBC spectra of compound 10

