



Supporting Information

for

Streptoquinolines A and B, new antibacterial meroterpenoids produced by *Streptomyces* sp. TMPU-A0679

Akiho Yagi, Hitomi Tomura, Ami Konno and Ryuji Uchida

Beilstein J. Org. Chem. **2026**, 22, 185–191. doi:10.3762/bjoc.22.12

MS and NMR spectra of streptoquinolines A (1) and B (2)

Table of contents

Figure S1: ESI-MS spectrum of 1	S2
Figure S2: ^1H NMR spectrum of 1 (400 MHz, $\text{DMSO-}d_6$)	S2
Figure S3: ^{13}C NMR spectrum of 1 (100 MHz, CD_3OD)	S3
Figure S4: HMQC spectrum of 1 (400 MHz, CD_3OD)	S3
Figure S5: COSY spectrum of 1 (400 MHz, CD_3OD)	S4
Figure S6: HMBC spectrum of 1 (400 MHz, CD_3OD)	S4
Figure S7: ROESY spectrum of 1 (400 MHz, CD_3OD)	S5
Figure S8: ESI-MS spectrum of 2	S5
Figure S9: ^1H NMR spectrum of 2 (400 MHz, $\text{DMSO-}d_6$)	S6
Figure S10: ^{13}C NMR spectrum of 2 (100 MHz, CD_3OD)	S6
Figure S11: HMQC spectrum of 2 (400 MHz, CD_3OD)	S7
Figure S12: COSY spectrum of 2 (400 MHz, CD_3OD)	S7
Figure S13: HMBC spectrum of 2 (400 MHz, CD_3OD)	S8




Figure S1: ESI-MS spectrum of **1**.




Figure S2: ¹H NMR spectrum of **1** (400 MHz, DMSO-*d*₆).




Figure S3: ^{13}C NMR spectrum of **1** (100 MHz, $\text{DMSO}-d_6$).




Figure S4: HMQC spectrum of **1** (400 MHz, $\text{DMSO}-d_6$).




Figure S5: COSY spectrum of **1** (400 MHz, DMSO- d_6).




Figure S6: HMBC spectrum of **1** (400 MHz, DMSO- d_6).




Figure S7: ROESY spectrum of **1** (400 MHz, DMSO- d_6).




Figure S8: ESI-MS spectrum of **2**.




Figure S9: ^1H NMR spectrum of **2** (400 MHz, $\text{DMSO-}d_6$).




Figure S10: ^{13}C NMR spectrum of **2** (100 MHz, $\text{DMSO-}d_6$).




Figure S11: HMQC spectrum of **2** (400 MHz, DMSO-*d*₆).




Figure S12: COSY spectrum of **2** (400 MHz, DMSO-*d*₆).




Figure S13: HMBC spectrum of **2** (400 MHz, DMSO- d_6).