

Supporting Information File 2

for

Synthesis and photooxidation of styrene copolymer bearing camphorquinone pendant groups



Branislav Husár^{*1}, Norbert Moszner² and Ivan Lukáč¹

Address: ¹Polymer Institute, Slovak Academy of Sciences, Dúbravská cesta 9,
SK-845 41 Bratislava 45, Slovakia and ²Ivoclar Vivadent AG, Bendererstrasse 2,
FL-9494 Schaan, Liechtenstein



Email: Branislav Husár* - branislav.husar@savba.sk; Norbert Moszner -
norbert.moszner@ivoclarvivadent.com; Ivan Lukáč - ivan.lukac@savba.sk

* Corresponding author



NMR spectra of compounds 5–10 and MCQ





10-acetoxycamphor_13C.esp





10-acetoxycamphorquinone_1H.esp





10-ACETOXYCAMPHORQUINONE_13C.ESP





10-HYDROXYCAMPHORQUINONE_1H.ESP





10-hydroxycamphorquinone_13C.esp





10-iodocamphor_1H.esp





10-iodocamphor_13C.esp





10-iodocamphorquinone_1H.esp





10-iodocamphorquinone.005.esp





10-iodocamphorquinone_COSY.esp





10-methacryloyloxycamphorquinone_1H.esp



10-methacryloyloxycamphorquinone_13C.esp



byproduct_1H.esp



byproduct_13C.esp

