

Supporting Information

for

Carbon nano-onions as fluorescent on/off modulated nanoprobes for diagnostics

Stefania Lettieri¹, Marta d'Amora², Adalberto Camisasca^{1,3}, Alberto Diaspro^{2,4,5} and Silvia Giordani*^{1,6}

Address: ¹Nano Carbon Materials, Istituto Italiano di Tecnologia (IIT), via Livorno 60, 10144, Turin, Italy, ²Nanoscopy, Istituto Italiano di Tecnologia (IIT), via Morego 30, 16163, Genoa, Italy, ³Department of Chemistry, University of Genoa, Via Dodecaneso 31, Genoa, 16145, Italy, ⁴NIC@IIT, Istituto Italiano di Tecnologia (IIT), Via Morego 30, Genoa, 16163, Italy, ⁵Department of Physics, University of Genoa, Via Dodecaneso 33, Genoa, 16145, Italy and ⁶Department of Chemistry, University of Turin, via Giuria 7, 10125, Turin, Italy

Email: Silvia Giordani - silvia.giordani@iit.it

* Corresponding author

Additional Experimental Data




Figure S1: ^1H NMR spectrum in $\text{DMSO-}d_6$ of compound **1**.




Figure S2: ^1H NMR spectrum in Chloroform- d of compound **2**.




Figure S3: ¹H NMR spectrum in Chloroform-*d* of BODIPY 3.




Figure S4: ^{13}C NMR spectrum in DMSO- d_6 of BODIPY **3**.




Figure S5: HR-TEM of p-CNOs.